





44 Linus 5x6 v.1

ID	Name	Height	Width	Length	Qty	3D Front Axonometry	
FBE-1	Floor bearer	44	60	5800	2		
FBE-2	Floor bearer	44	60	4680	10		
A01	Wall A	135	44	2707	8		
A02	Wall A	135	44	643	22		
A03	Wall A	135	44	754	7		
B01	Wall B	135	44	224	1		
B02	Wall B	135	44	224	1		
B03	Wall B	135	44	524	1		
B04	Wall B	135	44	524	1		
B05	Wall B	135	44	4960	1		
C01	Wall C	135	44	4960	15		
D01	Wall D	68	44	5960	1		
D02	Wall D	135	44	5960	7		
D03	Wall D	135	44	2325	10		
D04	Wall D	135	44	2645	1		
D05	Wall D	135	44	2325	2		
D06	Wall D	135	44	2945	1		
D07	Wall D	135	44	4900	1		
D08	Wall D	135	44	2100	1		
E01	Wall E	68	44	5960	1		
E02	Wall E	135	44	5960	12		
E03	Wall E	135	44	4300	1		
E04	Wall E	135	44	1980	1		
E05	Wall E	135	44	4600	1		
E06	Wall E	135	44	1980	1		

Linus 5x6 v.1 44mm Packing list

E07	Wall E	135	44	4900	1		
E08	Wall E	135	44	2100	1		
EXTRA1	Wall Extra	135	44	5960	1		
GBL01	Gable ends	135	44	4960	3		
GBL02	Gable ends	135	44	4192	3		
GBL03	Gable ends	135	44	3144	3		
GBL04	Gable ends	135	44	2096	3		
GBL05	Gable ends	135	44	1048	3		
PR-1	Purlin	140	68	5110	4		
PR-2	Purlin	140	68	2310	4		
PR-3	Purlin	140	68	5110	1		
PR-4	Purlin	140	68	2310	1		
RB-1	Roof board	19	135/110/87	2737	105/128/162		
FB-1	Floor board	19	135/110/87	4447	36/44/55		
FB-2	Floor board	19	135/110/87	1259	35/43/54		
TRIM	Trim	40	19		23 m'		
WBA	Windboard A	90	19	2856	4		
WBB	Windboard B	70	19	3500	4		
WBC	Windboard C	19	40	2856	4		
WBD	Windboard D	25	30	3500	4		
WB-RMB	Rhombus	200	19	19	2		
STRM-BR	Storm braces	47	28	1980	4		
G-BEAM-1	Beams for grooves of windows and doors openings	22	22	920	4		
G-BEAM-2		22	22	1980	2		
Installation kit for assembly							
N01	Nail	---	2,5	40	1300 (500*2+200+50*2)		
S-01	Screw	---	3	40	150 (100+50)		

S-03	Screw	---	5	100	15 (10+5)		
S-04	Screw	---	5	120	50		
SB	Washer	---	M10	---	8		
	Screw	---	8	50	8		