




44 Linus 6x5 WC v.1


Walls and purlins positions



Thickness:	Project name:	Project ID:	Year:	Page:
44	Linus 6x5 WC v.1		2024	2

Floor bearers


1:50



Thickness:	Project name:	Project ID:	Year:	Page:
44	Linus 6x5 WC v.1		2024	3

Ground floor plan 1:50


1:50



Thickness:	Project name:	Project ID:	Year:	Page:
44	Linus 6x5 WC v.1		2024	4

Floor boards


1:50



Thickness:	Project name:	Project ID:	Year:	Page:
44	Linus 6x5 WC v.1		2024	5

Roof boards


1:50



Thickness:	Project name:	Project ID:	Year:	Page:
44	Linus 6x5 WC v.1		2024	6

Wall A 1:50

1:50





Wal B	1:50	Wall E	1:50
-------	------	--------	------

1:50

Wall E	1:50
--------	------


1:50



Thickness:	Project name:	Project ID:	Year:	Page:
44	Linus 6x5 WC v.1		2024	7


Wall C

1:50




Wall D

1:50





Wall F

1:50



Linus 6x5 WC v.1 44mm Windows and doors list

Type-quality	Barcode	Wall Thickness	W x H Size	Orientation	Glazing	Quantity	3D Axonometry
Door - Premium	P19885-4	44	850×1 980	R	Full wood, no threshold (internal)	1	
Door - Premium	PP198160-2	44	1 600×1 980	R	50% glass, double glazed	1	
Window - Premium	PP5250	44	500×520	R	Double glazed	1	
Window - Premium	PP92130	44	1 300×920		Double glazed	2	