



































































































44 Rico 4,04x7,8 v.2(Economy)

ID	Name	Height	Width	Length	Qty	3D Front Axonometry	
FBE-1	Floor bearer	44	60	3842	6		-
FBE-2	Floor bearer	44	60	1646	9		-
FBE-3	Floor bearer	44	60	3892	9		-
FBE-4	Floor bearer	44	60	1702	8		-
A01	Wall A	68	44	834	1		▣
A02	Wall A	68	44	794	1		▣
A03	Wall A	68	44	1048	1		▣
A04	Wall A	68	44	744	1		▣
A05	Wall A	135	44	834	13		▣
A06	Wall A	135	44	794	13		▣
A07	Wall A	135	44	1048	13		▣
A08	Wall A	135	44	744	13		▣
A09	Wall A	135	44	1866	1		▣
A10	Wall A	135	44	5934	1		▣
A11	Wall A	135	44	5878	1		▣
A12	Wall A	135	44	1922	1		▣
A13	Wall A	135	44	1866	1		▣
A14	Wall A	135	44	5934	1		▣
A15	Wall A	135	44	5878	1		▣
A16	Wall A	68	44	1922	1		▣
B01	Wall B	68	44	834	1		▣
B02	Wall B	68	44	794	1		▣
B03	Wall B	135	44	834	13		▣
B04	Wall B	135	44	794	13		▣
B05	Wall B	135	44	2488	1		▣

B06	Wall B	135	44	2488	2		
C01	Wall C	68	44	5878	1		
C02	Wall C	68	44	1922	1		
C03	Wall C	135	44	1866	4		
C04	Wall C	135	44	5934	4		
C05	Wall C	135	44	5878	3		
C06	Wall C	135	44	1922	4		
C07	Wall C	135	44	2788	3		
C08	Wall C	135	44	4302	7		
C09	Wall C	135	44	1234	4		
C10	Wall C	135	44	1044	4		
C11	Wall C	135	44	5878	1		
C12	Wall C	68	44	1866	1		
C13	Wall C	68	44	5934	1		
D01	Wall D	135	44	4042	15		
E01	Wall E	135	44	244	14		
E02	Wall E	135	44	2388	14		
E03	Wall E	135	44	4042	1		
EXTRA01	Wall Extra	135	44	5934	1		
F01	Wall F	135	44	544	14		
F02	Wall F	135	44	1888	14		
F03	Wall F	135	44	4042	1		
G01	Wall G	135	44	244	14		
G02	Wall G	135	44	4042	1		
GBL01	Gable ends	135	44	4142	2		
GBL02	Gable ends	135	44	3898	2		
GBL201	Gable ends	135	44	4142	2		

GBL202	Gable ends	135	44	3898	2		
PR-1	Purlin	140	68	2041	3		
PR-2	Purlin	140	68	4362	3		
PR-3	Purlin	140	68	2097	3		
RB	Roof board	19	135/110/87	4144	59/72/91		
FB-1	Floor board	19	135/110/87	2095	17/21/26		
FB-2	Floor board	19	135/110/87	1605	17/21/26		
FB-3	Floor board	19	135/110/87	3749	27/33/41		
TB	Terrace board	28	115	3798	17		
TRIM	Trim	22	28		33 m		
WB-1	Windboard	28	135	4198	4		
WB-2	Windboard	28	135	3900	8		
WBD	Windboard	25	30	3900	4		
WBD	Windboard	25	30	4198	2		
BEAM-1	Beam	100	44	243	5		
BEAM-2	Beam	100	44	204	5		
COL	Column	85	85	1990	1		
G-BEAM-01	Beams for windows and doors grooves	22	22	1850	10		
G-BEAM-02		22	22	520	2		
G-BEAM-03		22	22	920	2		
Instalation kit for assembly							
N01	Nail	---	2,5	40	950 (500+200*2+50)		
S-01	Screw	---	3	40	100		

S-02	Screw	---	5	60	8		
T-01	Screw	---	5	60	250 (200+50)		
S-03	Screw	---	5	100	10		
S-04	Screw	---	5	120	75 (50+10*2+5)		
CAP90	Height adjustment support for column	90	90	---	1		