







44mm Stable nr.2								
ID	Name	Height	Width	Length	Qty	3D Front Axonometry		
A01	Wall A	135	44	3100	17			
A02	Wall A	135	44	3100	1			
A03	Wall A	135	44	2956	1			
A04	Wall A	135	44	2389	1			
A05	Wall A	135	44	1823	1			
A06	Wall A	135	44	1256	1			
A07	Wall A	135	44	689	1			
B01	Wall B	135	44	3100	17			
B02	Wall B	135	44	3100	1			
B03	Wall B	135	44	2956	1			
B04	Wall B	135	44	2389	1			
B05	Wall B	135	44	1823	1			
B06	Wall B	135	44	1256	1			
B07	Wall B	135	44	689	1			
C01	Wall C	135	44	3100	17			
C02	Wall C	135	44	3100	1			
C03	Wall C	135	44	2956	1			
C04	Wall C	135	44	2389	1			
C05	Wall C	135	44	1823	1			
C06	Wall C	135	44	1256	1			
C07	Wall C	135	44	689	1			
D01	Wall D	135	44	956	2			
D02	Wall D	135	44	1668	1			
D03	Wall D	135	44	956	28			
D04	Wall D	135	44	1668	14			
D05	Wall D	135	44	5800	1			
D06	Wall D	135	44	5800	2			

D07	Wall D	135	44	1156	6		
D08	Wall D	135	44	2068	3		
D09	Wall D	135	44	5800	1		
D10	Wall D	135	44	6000	1		
D11	Wall D	135	44	6000	1		
E01	Wall E	135	44	5800	1		
E02	Wall E	135	44	5800	16		
E03	Wall E	135	44	6000	1		
E04	Wall E	135	44	6000	1		
EXTRA	Wall Extra	135	44	6000	1		
PR-1	Purlin	140	68	6000	3		
PR-2	Purlin	140	68	3189	8		
BEAM-1	Beam	140	68	6000	1		
BEAM-2	Beam	140	68	2734	2		
RB-1	Roof board	19	135/110/87	3211	45/56/70		
RB-2	Roof board	19	135/110/87	6000	25/30/38		
S-BEAM	Beam	100	68	700	4		
WBA	Windboard A	113	19	3300	4		
WBB	Windboard B	70	19	6000	2		
WBC	Windboard C	19	40	3300	4		
WBD	Windboard D	25	30	6000	1		
WB-RMB	Rhombus	200	19	19	2		
COL-1	Column	115	115	2206	3		

G-BEAM-01	Beams for grooves of windows and doors openings	22	22	2000	4		u
G-BEAM-02		22	22	390	4		u
Instalaltion kit for assembly							
N01	Nail	---	2,5	40	650 (3*50+500)		
S-01	Screw	---	3	40	100		
S-02	Screw	---	5	60	24 (3*8)		
S-03	Screw	---	5	100	15 (3*5)		
S-04	Screw	---	5	120	15 (3*5)		
CAP90	Height adjustment support for column	90	90	---	3		