




44 Hollow 5x3

Floor bearers


1:50



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	2

Ground floor plan


1:50



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	3

Floor board plan

1:50



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	4


Walls and purlins positions



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	5

Roof board plan


1:50



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	6

Wall A


1:50



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	7

Wall B


1:50



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	8

Wall C


1:50



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	9

Wall D


1:50





Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	10

Wall E

1:50



Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	11

Windows and doors list							
Type-quality	Barcode	Wall Thickness	W x H Size	Orientation	Glazing	Quantity	3D Axonometry
Door - Premium	P19885-1	44	850×1 700	R	Full wood	1	
Door - Premium	PG198160-2/CROSSP19 8160-2	44	1 600×1 980	R	50% glass, double glazed, safety (toughened) glass, including glazing bars	1	
Window - Premium plus	P+G9270/CR OSS9270P+	44	700×920	R	Double glazed, safety (toughened) glass, including glazing bars	1	

Thickness	Project name	Project ID	Date	Page
44	Hollow 5x3	-	2024	12