




44 Kairo 4x3

Floor bearers 1:50


1:50



Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	2

Ground floor plan


1:50



Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	3

Floor board plan 1:50

1:50



Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	4


Walls and purlins positions



Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	5

Roof board plan


1:50



Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	6


Upper roof board plan 1:50

1:50





Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	7



Wall SW 1:50



Wall A 1:50




Wall B 1:50



Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	8


Wall C

1:50




A

B




Wall D

1:50






A

B



Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	9

Windows and doors list							
Type-quality	Barcode	Wall Thickness	W x H Size	Orientation	Glazing	Quantity	3D Axonometry
Door - Premium	PG198160-2/CROSSP 198160-2	44	1 600×1 980	R	50% glass, double glazed, safety (toughened) glass, including glazing bars	1	
Window - Premium plus	P+G14370 /CROSS14 370P+	44	700×1 430	L	Double glazed, safety (toughened) glass, including glazing bars	2	
Window - Premium plus	P+G14370 /CROSS14 370P+	44	700×1 430	R	Double glazed, safety (toughened) glass, including glazing bars	2	

Thickness	Project name	Project ID	Date	Page
44	Kairo 4x3	-	2024	10